



# QUESTION & ANSWER

HIGHER QUALITY, BETTER SERVICE

**Provide One Year Free Update!**

<https://www.passquestion.com>

**Exam** : **4A0-100**

**Title** : Alcatel-Lucent Scalable IP  
Networks

**Version** : DEMO

1.You are configuring your Nokia 7750SR Service Router from the Command Line Interface (CLI), and after entering a lengthy command, wish to return directly to the ROOT context.

Which control command allows you to do this quickly?

- A. Ctrl-z
- B. Ctrl-c
- C. Esc
- D. Shift-Page Down

**Answer: A**

2.Which of the following best describes a repeater?

- A. A passive device simply used to connect two or more cables. Does not generate or amplify any signals.
- B. A device that receives and retransmits a signal out its ports, but does not do any Layer 2 analysis of the data.
- C. A device that receives a signal and based on the Layer 2 destination address, makes a decision on which ports the signal should be retransmitted.
- D. A device that receives a signal and based on the Layer 3 destination address, makes a decision on which ports the signal should be retransmitted.

**Answer: B**

3.How do protocols such as ATM and Frame-Relay support differentiating multiple customers or traffic types on the same physical wire?

- A. ATM and Frame-Relay are circuit switched protocols and use Virtual Circuits to create logical separation of traffic.
- B. ATM and Frame-Relay are point-to-point protocols and do not support different customers or traffic type on the same physical wire.
- C. ATM and Frame-Relay are circuit switched protocols and use VLAN's to create logical separation of traffic.
- D. ATM and Frame-Relay are circuit switched protocols and use IP Header information to create logical separation of traffic.

**Answer: A**

4.Which of the following is a feature of Layer 3?

- A. Provides an universal addressing scheme
- B. Ensures data is delivered across the Layer 2 network.
- C. Provides reliable data transfers.
- D. Provides a physical interface to the network.

**Answer: A**

5.The 201.148.26.0/24 network is subnetted using a /26 mask.

How many subnets and host addresses will you obtain with this mask?

- A. 4 subnets, 64 hosts
- B. 64 subnets, 4 hosts
- C. 4 subnets, 62 hosts
- D. 64 subnets, 2 hosts

E. 6 subnets, 30 hosts

**Answer: C**