



QUESTION & ANSWER

HIGHER QUALITY, BETTER SERVICE

Provide One Year Free Update!

<https://www.passquestion.com>

Exam : **C_TS413_2021**

Title : SAP Certified Application
Associate - SAP S/4HANA
Asset Management

Version : DEMO

1.Which of the following statements are correct regarding a cross-plant planning scenario?

- A. Multiple planning plants are assigned to a maintenance plant.
- B. Multiple maintenance plants are assigned to a planning plant.
- C. It is not supported in SAP S/4HANA.
- D. It combines maintenance plants in different controlling areas.

Answer: A

2.Which steps are available for the maintenance technician when using the Report Malfunction tile?

Note: There are 3 correct answers to this question.

- A. Select and print the maintenance order shop papers.
- B. Display the current location of the technical object.
- C. Add a URL to provide further information.
- D. View details of the technical object by navigating to the Asset Viewer.
- E. Input estimated costs for repair malfunction.

Answer: B,C,D

3.Which of the following are standard functionalities of SAP Asset Manager? Note: There are 3 correct answers to this question.

- A. Work orders and operations
- B. Technical objects
- C. Breakdown analytics
- D. ESRI maps
- E. Cost analytics

Answer: A,B,C

4.Which objects can a personnel number be assigned to directly? Note: There are 2 correct answers to this question.

- A. Planner group
- B. Work center
- C. Business partner
- D. Equipment

Answer: C,D

5.You are analyzing the data transfer of the cost center of an equipment.

What are the possible data origins? Note: There are 2 correct answers to this question.

- A. The reference functional location of the superior functional location
- B. The individual maintenance of the cost center in the equipment master record
- C. The cost center of the related maintenance work center
- D. The cost center of the superior equipment

Answer: B,D