



# QUESTION & ANSWER

HIGHER QUALITY, BETTER SERVICE

**Provide One Year Free Update!**

<https://www.passquestion.com>

**Exam** : **PSE-Strata Associate**

**Title** : Palo Alto Networks Systems  
Engineer (PSE) - Strata  
Associate

**Version** : DEMO

1.Which feature allows a customer to gain visibility and respond to changes in user behavior or potential threats without manual policy changes?

- A. User-ID agent
- B. dynamic user groups (DUGs)
- C. Lightweight Directory Access Protocol (LDAP) sync
- D. dynamic address objects

**Answer: B**

2.Which section of a Security Lifecycle Review (SLR) report summarizes risk exposure by breaking down a detected attack on the network?

- A. Advanced URL Filtering Analysis
- B. SaaSApplications
- C. Threats at a Glance
- D. Applications that Introduce Risk

**Answer: C**

3.Which two of the following are benefits of the Palo AltoNetworks Zero Trust architecture? (Choose two.)

- A. tighter access control
- B. increased detection of threats and infiltration
- C. more network segments
- D. cloud-based virtual private network (VPN)

**Answer: A,B**

4.The Security Operations Center (SOC) has noticed that a user has large amounts of data going to and coming from an external encrypted website. The SOC would like to identify the data being sent to and received from this website.

Which Secure Sockets Layer (SSL) decryption method supported by Palo Alto Networks would allow the SOC to see this data?

- A. Forward Proxy
- B. Web Proxy
- C. Certificate Proxy
- D. Inbound Proxy

**Answer: A**

5.An administrator wants to deploy a pair of firewalls in an active/active high availability (HA) architecture. Which two deployment types are supported in this circumstance? (Choose two.)

- A. Layer 3
- B. TAP mode
- C. Virtual Wire
- D. Layer 2

**Answer: A,C**

**Explanation:**

<https://knowledgebase.paloaltonetworks.com/KCSArticleDetail?id=kA10g000000ClzkCAC>

<https://docs.paloaltonetworks.com/pan-os/10-2/pan-os-admin/high-availability/ha->

concepts/hamodes#id15a9d293-d220-431a-b616-bea9eedfdab2