



# QUESTION & ANSWER

HIGHER QUALITY, BETTER SERVICE

**Provide One Year Free Update!**

<https://www.passquestion.com>

**Exam : D-VXR-OE-23**

**Title : Dell Technologies VxRail  
Operate 2023**

**Version : DEMO**

1.What is the maximum number of racks supported when expanding a VxRail cluster beyond a single physical rack?

- A. 2
- B. 4
- C. 6
- D. 8

**Answer: C**

2.What is the correct order of steps to create a VM for a new project using vSAN and VxRail?

Select the vSAN and appropriate storage policy	Step 1
Specify the hardware requirements	Step 2
Define the server or cluster the VM will use	Step 3
Specify the template	Step 4
Name the VM	Step 5

**Answer:**

Select the vSAN and appropriate storage policy	Specify the template
Specify the hardware requirements	Specify the hardware requirements
Define the server or cluster the VM will use	Name the VM
Specify the template	Define the server or cluster the VM will use
Name the VM	Select the vSAN and appropriate storage policy

3.How many Failures to Tolerate can be configured with vSAN RAID-1?

- A. 0
- B. 1 only
- C. 1 or 2 only
- D. 1, 2, or 3

**Answer: D**

4.A VxRail administrator wants to rename the VxRail cluster and the VxRail vSAN datastore.

What is the recommended method to make these changes?

- A. Refer to the VMware vSphere and vSAN documentation Follow the steps detailed in the VMware documentation
- B. Renaming the objects is not permitted Rebuild the cluster with the desired names
- C. Use Solve to generate the relevant procedures Follow the steps detailed in the procedures
- D. Refer to the VxRail Appliance Administration Guide Follow the steps detailed in the guide

**Answer: B**

5.A VxRail administrator observes alarms that start with VXR in the vSphere client.

How can they obtain information about the alarms and the related knowledge base articles?

- A. Go to the Alarm Definitions page and click the KB link.
- B. Use the VxRail Event Code Reference.
- C. Use the VxRail Administration Guide.
- D. Consult the General VMware Knowledge Base.

**Answer: B**